





# **Important Instructions for your Visit**

### Before your visit:

Please **read** the **Plain Language Statement** concerning the tests which will be conducted at the clinic visit and the **Consent form**.

Please try and avoid the following:

- (1) **Smoking** for **4 hours** before appointment time.
- (2) Long Acting Reliever Medication\* for 12 hours before your appointment time.
- (3) Short Acting Reliever Medication\* for 4 hours before appointment time.

\*Refer to the last page for a medication list.

If you regularly use medication, please bring a list of those medications to your visit.

If you are a close contact of someone who has tested positive for COVID-19, or currently have any symptoms, including fever, cough, sneezing, sore throat or runny nose, please reschedule your appointment or call 1800 110 711 to discuss.

<u>If you need to cancel or reschedule your appointment, please call to let us know as</u> soon as possible.

To contact us:

TAHS Line: 1800 110 711 Email: inq-tas@unimelb.edu.au

### Where to come:

## Calvary Lenah Valley Hospital 49 Augusta Rd, Lenah Valley, TAS 7008

### Please go directly to Gleeson House



# Where to park your car:

To access Calvary Medical Group, turn down Honora Avenue and turn left into the Emergency Department. Continue along the driveway to find Gleeson House on your right (the cream-coloured building)

# Name of medications (See pages 4 - 6 for picture references)

| Short-Acting<br>Beta Antagonist<br>(SABA)  | Inhaled<br>Corticosteroids (ICS)  | Long-Acting Beta<br>Antagonist (LABA)                                    | Inhaled Corticosteroids / Long-<br>Acting Beta Antagonist<br>combination (ICS/LABA)   | Long- Acting<br>Muscarinic<br>medications (LAMA)   | LAMA/LABA  |
|--|---|--|---|--|--|
| <ul> <li>Ventolin</li> <li>Asmol</li> <li>Bricanyl</li> <li>Airomir</li> <li>Zempreon</li> </ul>                 | <ul> <li>Flixotide         Inhaler or         Accuhaler</li> <li>QVAR Inhaler         or Autohaler</li> <li>Fluticasone         Cipla</li> <li>Pulmicort</li> <li>Alvesco</li> <li>Arnuity</li> </ul> | <ul><li>Oxis</li><li>Serevent</li><li>Onbrez</li></ul>                   | <ul> <li>Seretide MDI or Accuhaler</li> <li>Fluticasone Salmeterol</li> <li>Flutiform Inhaler</li> <li>Symbicort Turbuhaler or<br/>Rapihaler</li> <li>DuoResp Spiromax</li> <li>Breo Ellipta</li> <li>Fostair Inhaler</li> <li>Atectura Breezhaler</li> </ul> | <ul> <li>Spiriva Respimat         or Handihaler</li> <li>Braltus Zona</li> <li>Bretaris Genuair</li> <li>Seebri         Breezhaler</li> <li>Incruse Ellipta</li> </ul> | <ul> <li>Spiolto Respimat</li> <li>Brimica Genuair</li> <li>Ultibro Breezhaler</li> <li>Anoro Ellipta</li> </ul> |
| <ul> <li>ICS/LAMA/LABA</li> <li>Trelegy Ellipta</li> <li>Enerzair Breezhaler</li> <li>Trimbow Inhaler</li> </ul> |   | Short-Acting Muscarinic medications (SAMA)      Atrovent Metered Aerosol |   | Non-Steroidal Preventers  • Montelukast Tablet   |  |

### **Picture of medications**





