





## **Important Instructions for your Visit**

## Before your visit:

Please **read** the **Plain Language Statement** concerning the tests which will be conducted at the clinic visit and the **Consent form**.

Please try and avoid the following:

- (1) **Smoking** for **4 hours** before appointment time.
- (2) Long Acting Reliever Medication\* for 12 hours before your appointment time.
- (3) Short Acting Reliever Medication\* for 4 hours before appointment time.

\*Refer to the last page for a medication list.

If you regularly use medication, please bring a list of those medications to your visit.

If you are a close contact of someone who has tested positive for COVID-19, or currently have any symptoms, including fever, cough, sneezing, sore throat or runny nose, please reschedule your appointment or call 1800 110 711 to discuss.

If you need to cancel or reschedule your appointment, please call to let us know as soon as possible.

To contact us:

TAHS Line: 1800 110 711

Email: inq-tas@unimelb.edu.au

#### Where to come:

# Level 4 Western Centre for Health, Research & Education (WCHRE) Sunshine Hospital 176 Furlong Road, St Albans, VIC, 3021

- Enter Sunshine Hospital main entry
- Ask the reception where to find Western Centre for Health Research and Education or
- Follow the 'blue line' to the end of the corridor then enter the large white metal doors.
- Enter the 'entrance hall' to the lifts and go to Level 4 of the WCHRE building
- You will be greeted by your clinic tester, Linda

Call Linda: 0421 467 801 if any issues.



Western Centre for Health Research and Education is located at Sunshine Hospital. It is just west off the Western Ring Road (Furlong Road exit) - Melways map 26 D6. If travelling by train, Ginifer railway station (on the St Albans line) is five minutes' walk from the facility

# Name of medications (See pages 4 - 6 for picture references)

Short-Acting Beta Antagonist (SABA)	Inhaled Corticosteroids (ICS)	Long-Acting Beta Antagonist (LABA)	Inhaled Corticosteroids / Long- Acting Beta Antagonist combination (ICS/LABA)	Long- Acting Muscarinic medications (LAMA)	LAMA/LABA
<ul> <li>Ventolin</li> <li>Asmol</li> <li>Bricanyl</li> <li>Airomir</li> <li>Zempreon</li> </ul>	<ul> <li>Flixotide         Inhaler or         Accuhaler</li> <li>QVAR Inhaler         or Autohaler</li> <li>Fluticasone         Cipla</li> <li>Pulmicort</li> <li>Alvesco</li> <li>Arnuity</li> </ul>	<ul><li>Oxis</li><li>Serevent</li><li>Onbrez</li></ul>	<ul> <li>Seretide MDI or Accuhaler</li> <li>Fluticasone Salmeterol</li> <li>Flutiform Inhaler</li> <li>Symbicort Turbuhaler or Rapihaler</li> <li>DuoResp Spiromax</li> <li>Breo Ellipta</li> <li>Fostair Inhaler</li> <li>Atectura Breezhaler</li> </ul>	<ul> <li>Spiriva Respimat or Handihaler</li> <li>Braltus Zona</li> <li>Bretaris Genuair</li> <li>Seebri Breezhaler</li> <li>Incruse Ellipta</li> </ul>	<ul> <li>Spiolto Respimat</li> <li>Brimica Genuair</li> <li>Ultibro Breezhaler</li> <li>Anoro Ellipta</li> </ul>
<ul> <li>ICS/LAMA/LABA</li> <li>Trelegy Ellipta</li> <li>Enerzair Breezhaler</li> <li>Trimbow Inhaler</li> </ul>		Short-Acting Muscarinic medications (SAMA)      Atrovent Metered Aerosol		Non-Steroidal Preventers     Montelukast Tablet	

## **Picture of medications**





